Attachment D:

SCDOT

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION

Authorized Producers of Reinforced Concrete Pipe (RCP)

The following is a list of Reinforced Concrete Pipe (RCP) producers who have satisfied the requirements established by the SCDOT as defined by Qualified Product Policy 69.

		Reinforced Concrete Pipe Using Flexible Sealants (FS)			Reinforced Concrete Pipe Using Rubber Gaskets (RG)			
Producers	**Plant Certification Expiration Period**	**Pipe Size**	**Sealant Size**	**Flexible Sealant Manufacturer**	**Pipe Size**	**Rubber Gasket Size**	**Rubber Gasket Manufacturer**	**Notes**
**CP & P, LLC 2750 Azalea Drive Charleston, SC 29405 Tel: 1-843-744-5376 Fax: 1-843-566-7956 Michael Troan	ACPA Q-Cast Jan 1, 2016 Through Jan 1, 2018	12"-36" 42"-72"	¾ " 1 ¼"	Concrete Sealants Materials, New Carlisle, Ohio	12" – 36 " 42" – 72"	158-4G 210-4G	Press-Seal Gasket Corporation Fort Wayne IN	Profile Style Joint
Concrete Designs, LLC P.O. Box 15164 Surfside Beach, SC 29587 Tel: 1-843-650-0099 Jimmy Kid	*NPCA Dec 31, 2016	15" – 36" 48" – 60"	1" 1 ¼"	Concrete Sealants Materials' New Carlisle, Ohio				

Diamond Concrete, LLC P.O. Box 1370 Rincon, GA 31326 Tel: 1-912-728-9485 Alan Zipperer	*NPCA Dec 31, 2016	15" – 36" 42" – 60"	1" 1 ¼"	Concrete Sealants Materials' New Carlisle, Ohio	15" – 60" 15" – 60" 15" – 36" 15" – 36" 42" – 72"	155– 4G CR023 3 SOCL TSS135 7SOCL	Press-Seal Gasket Corporation Fort Wayne IN Universal Polymer Ravenna, OH Hamilton Kent LLC Toronto, Ontario Winchester, TN	
Foley Products Company 1291 Hardigree Road Winder, GA 30680 Tel: 1-770-868-0118 Fax: 1-770-307-5918 Mbl: 1-404-787-1367 Dennis Morrissey	ACPA Q-Cast Jan 1, 2015 Through Jan 1, 2017				15" – 36" 42" – 96" 15" – 36" 42" – 72" 84" – 96" 15" – 36" 42" – 96"	155-4G 260-4F CR147 CR066 CR023 BN3RCP BN7RCP	Press-Seal Gasket Universal Polymer C - Tech C – Tech	Profile Style Joint
Foltz Concrete Pipe 11875 North NC Hwy 150 Winston Salem, NC 27127 Tel: 1-336-764-0341 Doug Shell	*NPCA Dec 31, 2016	15" – 18" 24" – 30" 36" – 42" 48" – 72"	¾" 1" 1 ¼" 1 ½"	Concrete Sealants Materials' New Carlisle, Ohio	15" – 36" 42" – 72"	158-4G 210-4G	Press-Seal Gasket Corporation Fort Wayne IN	Profile Style
Gossett Concrete Pipe P.O. Box 3683 Greenville, SC 29608 Tel: 1-864-242-3593 Fax: 1-864-244-4720 Plant:: 1-864-244-0370	ACPA Q-Cast Oct 1, 2015 Through Oct 1, 2017	12"-24" (1) 30"-36" (1) 42"-48" (1)	¾ " 1" 1 ¼ "	Concrete Sealants Materials, New Carlisle, Ohio Multiseal, Inc	15" – 36" 42" – 72" 15" – 36"	V-0168 .326AS V-0166 .446AS 3 SOCL	Vertex Inc. Mogadore, OH Hamilton	(1)Tongue & Groove Style Joint (2). Profile Style Joint

Bo Gossett, III		54", 60", 66", 72" (2)	1"	Evansville Indiana NPC-Bidco, Park Hills, MO	42" – 72" 15" – 36" 42" – 72"	.326 AS 7 SOCL .446 AS TSS 135 .326 AS TSS 185 .446 AS	Kent LLC Winchester, TN Hamilton Kent LLC Winchester, TN	
Johnson Concrete Co. 217 Klumac Road Salisbury, NC 28144 Tel: 1-704-636-5231 Fax: 1-704-638-0742 Brian Carter	ACPA Q-Cast Mar 30, 2014 Through July 1, 2016	12" – 24" 30" – 36" 42" – 48"	1" 1 ¼" 1 ½"	Concrete Sealants Materials' New Carlisle, Ohio				
***CP & P, LLC 24007 Silver Rd. P.O. Box 119 Oakboro, NC 28129 Tel: 1-704-485-4614 Fax: 1-704-485-4689 Jon Field	ACPA Q-Cast Oct 1, 2014 Through Oct 1, 2016	12"- 18" 24"- 48" 54"- 60"	¾" 1" 1 ½ "	Concrete Sealants Materials, New Carlisle, Ohio	12"- 36" 36"- 48" 54" 60"	CR-066 CR-014 210-4G 158-4G	Universal Rubber Middlefield, Ohio Press-Seal Gasket corp. Fort Wayne Indiana	
Mid-Atlantic Drainage, Inc. 1124 White Oak Lane Galivants Ferry, SC 29544 Tel: 1-843-358-4206 David Henderson	ACPA Q-Cast July 2015 Through July 2017	15" – 24" 30" – 36" 42" – 48"	1" 1 ¼ " 1 ½ "	Concrete Sealants Materials' New Carlisle, Ohio	18" 24" 36"	SP135. 62.375 SP135. 82.375 SP175. 120.750	Trelleborg Pipe Seals Milford, NH	
Rinker Materials 300 Bill Street Columbia, SC 29209 Tel: 1-803-776-6769 Fax: 1-803-783-1010 Matthew Goldie	ACPA Q-Cast April 1, 2015 Through April 1, 2017	15", 18", 60" 24", 30", 36", 42", 48" (1), 54" 48" (2)	¾" 1" 1 ¼"	Concrete Sealants Materials, New Carlisle, Ohio	15", 18" 24" 30" 36" 42" 48" 54" 60" 96"	¾" PF 13/16" PF 7/8" PF 13/16" PF 7/8" PF 13/16" PF 13/16" PF 13/16" OR 13/16" OR	Delta Gasket Products- a Division of Rinker Materials Gainesville, Georgia	1. Profile Style Joint 2. Tongue and Groove Style Joint. 3. OR Style
Rinker Materials 5601 Pharr Mill Road P.O. Box 209	ACPA Q-Cast April 1, 2014 Through	15" (1) 18", 24"	¾" ¾"	Concrete Sealants Materials'	15"	¾"	Delta Gasket Products- a Division of	1.Profile Style Joint 2. Tongue and

Harrisburg, NC 28075 Tel: 1-704-455-1100 Fax: 1-704-455-1105 Brad Allen	April 1, 2016	30", 36" 42",48" (2) 48" PH (1) 54"-72" (3)	 ¾" ¾"	New Carlisle, Ohio	54"-72"	$^{13}/_{16}$"	Rinker Materials Gainesville, Georgia	Groove Style Joint 3. O-Ring Style Joint
Smith Setzer & Sons, Inc. 4708 Hwy 10 Catawba, NC 28609 Tel: 1-828-241-3161 Fax: 1-828-241-3160 Jerry Setzer	*NPCA Dec. 31, 2016	12" – 30" 36" – 48" 54" – 72"	¾ " 1" 1 ½ "	Concrete Sealants Materials' New Carlisle, Ohio				
Southeastern P.O. Box 2104 Cayce, SC 29171 Tel: 1-803-794-7363 Larry Lott	ACPA Q-Cast April 1, 2015 Through April 1, 2017	12", 15", 18" , 24" 30", 36", 42"	 1" 1 ¼"	Concrete Sealants Materials, New Carlisle, Ohio				

**CP & P, LLC formerly AmeriCast ***CP & P, LLC formerly Hanson (both AmeriCast & Hanson had a joint-venture in August 2012)

Notes:
a. RG: AASHTO M 315 Standard Specification for Joints for Concrete Pipe and Manholes, Using Rubber Gaskets (13-psi. in straight alignment and 10-psi. in deflected alignment in plant hydrostatic test).
b. FS: AASHTO M 198 Standard Specification for Joints for Concrete Pipe, Manholes, and Precast Box Section Using Preformed Flexible Sealants (10-psi. in plant hydrostatic test).
c. For the following counties: Berkeley, Beaufort, Charleston, Colleton, Dorchester, Georgetown, Horry, and Jasper, provide pipe joints meeting AASHTO M 315 *(13 psi), for all other counties, either M 190 (10 psi) or M 315 may be used unless noted otherwise in the plans or special provision.*

*NPCA performs their audits on the specific date listed above – ACPA performs their audits through the expiration period without any announcement.

SCDOT Contact Person: Aly Hussein, PhD, PE
Structural Materials Engineer
SC Department of Transportation
P.O. Box 191
Columbia, SC 29202-0191
Phone: 803-737-6687
Fax: 803-737-6649
e-mail: husseinaa@scdot.org